

Design Features



Optimized cabinet construction, Better appearance, Less deforming.

1



Low cover, High cover, Slide cover, Rotation cover,Satisfy the fastidious preference.

2



With Quick Connect, Easy & Fast to install.

3



High quality manifest display.

4



Localization language, Comfortable to consumer.

5



High grade raw material, More healthy, More enduring.

6

Water Softeners

Model	CS1L 1035	CS1H 1035
Dimension(W*D*H)	350*600*1100 (mm)	350*600*1100 (mm)
Packing Size(W*D*H)	396*640*1180 (mm)	396*640*1180 (mm)
Container Capacity (20'GP/40'GP/40'HQ)	105ctns/210ctns/210ctns	
Salt storage capacity	81Kg	81Kg



Model	CS2L 1035	CS2H 1035
Dimension(W*D*H)	350*600*1100 (mm)	350*600*1100 (mm)
Packing Size(W*D*H)	396*640*1180 (mm)	396*640*1180 (mm)
Container Capacity (20'GP/40'GP/40'HQ)	105ctns/210ctns/210ctns	
Salt storage capacity	75Kg	75Kg



Model	CS3L 1017+cover	CS3L 1035+cover	CS3L 1044+cover
Dimension(W*D*H)	334*570*660 (mm)	334*570*1120 (mm)	334*570*1350 (mm)
Packing Size(W*D*H)	376*610*750 (mm)	376*610*1180 (mm)	376*610*1400 (mm)
Container Capacity (20'GP/40'GP/40'HQ)	171ctns/342ctns/342ctns	114ctns/228ctns/228ctns	57ctns/114ctns/114ctns
Salt storage capacity	33Kg	75Kg	103Kg



Model	CS3H 1017	CS3H 1035	CS3H 1044
Dimension(W*D*H)	334*570*660 (mm)	334*570*1120 (mm)	334*570*1350 (mm)
Packing Size(W*D*H)	376*610*750 (mm)	376*610*1180 (mm)	376*610*1400 (mm)
Container Capacity (20'GP/40'GP/40'HQ)	171ctns/342ctns/342ctns	114ctns/228ctns/228ctns	57ctns/114ctns/114ctns
Salt storage capacity	33Kg	75Kg	103Kg



Water Softeners

Model	CS4L 0817	CS4L 0835	CS4L 0844
Dimension(W*D*H)	225*440*640 (mm)	225*440*1110 (mm)	225*440*1330 (mm)
Packing Size(W*D*H)	266*520*750 (mm)	266*520*1180 (mm)	266*520*1340 (mm)
Container Capacity (20'GP/40'GP/40'HQ)	270ctns/540ctns/540ctns	176ctns/352ctns/360ctns	90ctns/180ctns/180ctns
Salt storage capacity	21Kg	46Kg	59Kg



Model	CS4H 0817 (slide cover)	CS4H 0835 (slide cover)	CS4H 0844 (slide cover)
Dimension(W*D*H)	225*440*640 (mm)	225*440*1110 (mm)	225*440*1330 (mm)
Packing Size(W*D*H)	266*520*750 (mm)	266*520*1180 (mm)	266*520*1400 (mm)
Container Capacity (20'GP/40'GP/40'HQ)	270ctns/540ctns/540ctns	176ctns/352ctns/360ctns	90ctns/180ctns/180ctns
Salt storage capacity	21Kg	46Kg	59Kg



Model	CS4H 0817	CS4H 0835	CS4H 0844
Dimension(W*D*H)	225*440*640 (mm)	225*440*1110 (mm)	225*440*1330 (mm)
Packing Size(W*D*H)	266*520*750 (mm)	266*520*1180 (mm)	266*520*1400 (mm)
Container Capacity (20'GP/40'GP/40'HQ)	270ctns/540ctns/540ctns	176ctns/352ctns/360ctns	90ctns/180ctns/180ctns
Salt storage capacity	21Kg	46Kg	59Kg



Model	CS4H- II 0817	CS4H- II 0835	CS4H- II 0844
Dimension(W*D*H)	225*440*640 (mm)	225*440*1110 (mm)	225*440*1330 (mm)
Packing Size(W*D*H)	266*520*750 (mm)	266*520*1180 (mm)	266*520*1400 (mm)
Container Capacity (20'GP/40'GP/40'HQ)	270ctns/540ctns/540ctns	176ctns/352ctns/360ctns	90ctns/180ctns/180ctns
Salt storage capacity	21Kg	46Kg	59Kg



Water Softeners

Model	CS5H 1035/CS5H-MO 1035	CS5H-MO 1017
Dimension(W*D*H)	420*490*1100 (mm)	420*490*640 (mm)
Packing Size(W*D*H)	456*590*1180 (mm)	456*590*700 (mm)
Container Capacity (20'GP/40'GP/40'HQ)	100ctns/200ctns/200ctns	150ctns/300ctns/300ctns
Salt storage capacity	93Kg	46Kg



Model	CS6L 1017	CS6L 1026	CS6L 1035
Dimension(W*D*H)	330*470*660 (mm)	330*470*870 (mm)	330*470*1100 (mm)
Packing Size(W*D*H)	376*520*750 (mm)	376*520*957 (mm)	376*520*1180 (mm)
Container Capacity (20'GP/40'GP/40'HQ)	206ctns/411ctns/411ctns	170ctns/350ctns/350ctns	138ctns/276ctns/276ctns
Salt storage capacity	23Kg	42Kg	62Kg



Model	CS6H 1017	CS6H 1026	CS6H 1035
Dimension(W*D*H)	330*470*660 (mm)	330*470*900 (mm)	330*470*1100 (mm)
Packing Size(W*D*H)	376*520*750 (mm)	376*520*957 (mm)	376*520*1180 (mm)
Container Capacity (20'GP/40'GP/40'HQ)	206ctns/411ctns/411ctns	170ctns/350ctns/350ctns	138ctns/276ctns/276ctns
Salt storage capacity	23Kg	42Kg	62Kg



Model	CS6H 1017 (slide cover)	CS6H 1026 (slide cover)	CS6H 1035 (slide cover)
Dimension(W*D*H)	333*505*575 (mm)	333*505*810 (mm)	333*505*1034 (mm)
Packing Size(W*D*H)	376*520*750 (mm)	376*520*957 (mm)	376*520*1180 (mm)
Container Capacity (20'GP/40'GP/40'HQ)	206ctns/411ctns/411ctns	170ctns/350ctns/350ctns	138ctns/276ctns/276ctns
Salt storage capacity	23Kg	42Kg	62Kg



Water Softeners

Model	CS7H 1017	CS7H 1026	CS7H 1035
Dimension(W*D*H)	330*470*660 (mm)	330*470*900 (mm)	330*470*1100 (mm)
Packing Size(W*D*H)	376*520*750 (mm)	376*520*957 (mm)	376*520*1180 (mm)
Container Capacity (20'GP/40'GP/40'HQ)	206ctns/411ctns/411ctns	170ctns/350ctns/350ctns	138ctns/276ctns/276ctns
Salt storage capacity	23Kg	42Kg	62Kg



Model	CS8L 0713	CS8L 0722	CS8L 0735
Dimension(W*D*H)	200*360*490 (mm)	200*360*700 (mm)	200*360*1060 (mm)
Packing Size(W*D*H)	236*440*606 (mm)	236*440*757 (mm)	236*440*1070 (mm)
Container Capacity (20'GP/40'GP/40'HQ)	396ctns/792ctns/936ctns	355ctns/650ctns/905ctns	250ctns/500ctns/500ctns
Salt storage capacity	9Kg	17Kg	29Kg



Model	CS8H 0713 (slide cover)	CS8H 0722 (slide cover)	CS8H 0735 (slide cover)
Dimension(W*D*H)	200*360*490 (mm)	200*360*700 (mm)	200*360*1060 (mm)
Packing Size(W*D*H)	236*435*606 (mm)	230*435*757 (mm)	230*435*1070 (mm)
Container Capacity (20'GP/40'GP/40'HQ)	396ctns/792ctns/936ctns	320ctns/660ctns/792ctns	250ctns/500ctns/500ctns
Salt storage capacity	9Kg	17Kg	29Kg



Model	CS8H-Plus 0815	CS8H-Plus 0824	CS8H-Plus 0835
Dimension(W*D*H)	240*420*546 (mm)	240*420*775 (mm)	240*420*1056 (mm)
Packing Size(W*D*H)	280*505*606 (mm)	280*505*835 (mm)	280*505*1120 (mm)
Salt storage capacity	15Kg	29Kg	46Kg



Water Softeners

Model	CS9H 0815	CS9H 0835 (0935/1035/1135)	CS9H 0844 (1044/1144)
Dimension(W*D*H)	310*360*570 (mm)	310*360*1100 (mm)	310*360*1330 (mm)
Packing Size(W*D*H)	350*410*590 (mm)	350*410*1170 (mm)	350*410*1350 (mm)
Container Capacity (20'GP/40'GP/40'HQ)	346ctns/692ctns/692ctns	183ctns/366ctns/366ctns	92ctns/184ctns/184ctns
Salt storage capacity	12Kg	35Kg	46Kg



Model	CS10H 1017 (slide cover)	CS10H 1035 (slide cover) CS10H 1035+Clear Cover CS10H 1035 (Split style)
Dimension(W*D*H)	350*500*660 (mm)	350*500*1110 (mm)
Packing Size(W*D*H)	360*545*750 (mm)	360*545*1180 (mm)
Container Capacity (20'GP/40'GP/40'HQ)	203ctns/420ctns/420ctns	130ctns/265ctns/265ctns
Salt storage capacity	23Kg	58Kg



Model	CS11H 1026	CS11H 1035
Dimension(W*D*H)	350*512*870 (mm)	350*512*1100 (mm)
Packing Size(W*D*H)	370*565*910(mm)	370*565*1150 (mm)
Container Capacity (20'GP/40'GP/40'HQ)	124ctns/252ctns/252ctns	
Salt storage capacity	46Kg	70Kg



Model	CS12H 0926	CS12H 0935
Dimension(W*D*H)	335*516*901 (mm)	335*516*1132 (mm)
Packing Size(W*D*H)	355*565*990 (mm)	355*565*1210 (mm)
Container Capacity (20'GP/40'GP/40'HQ)	132ctns/264ctns	66ctns/264ctns
Salt storage capacity	33Kg	44Kg



Water Softeners

Model	CS13H 1017	CS13H 1035
Dimension(W*D*H)	300*512*650(mm)	300*512*1109(mm)
Packing Size(W*D*H)	340*600*720(mm)	340*600*1180(mm)
Salt storage capacity	17Kg	48Kg

Model	CS15H 1015	CS15H 1035
Dimension(W*D*H)	346*476*575(mm)	346*476*1085(mm)
Salt storage capacity	18Kg	52Kg

Model	Duplex Softener (1054 tank+BTS-100L)
Dimension(W*D*H)	280*380*1610+425*390*900 (mm)
Packing Size(W*D*H)	346*435*1660+445*410*920 (mm)
Container Capacity (20*GP/40*GP/40*HQ)	81ctns/162ctns/162ctns

Model	Duplex Softener (1054 tank+BTR-100L)
Dimension(W*D*H)	280*380*1610+425*390*900 (mm)
Packing Size(W*D*H)	346*435*1660+445*410*920 (mm)
Container Capacity (20*GP/40*GP/40*HQ)	81ctns/162ctns/162ctns



One Step Regeneration Shower Softener



Model	CN-07-05
Dimension(W*D*H)	220*360*490 (mm)
Packing Size(W*D*H)	230*440*606 (mm)
Inlet & Out size	1/2 inch
Container Capacity (20*GP/40*GP/40*HQ)	396ctns/792ctns/936ctns

- No Electricity required
- One step only to complete entire regeneration process
- Maximum working water temperature: 60°C
- Easy installation
- Slide cover for water proof

Choose Your Suitable Accessories

Pressure Tank	0713	0722	0735	0815	0817	0835	0844	0915	0935	1015	1017	1026	1035	1040	1044	1054	1135	1144
Central Tube Size	13"	22"	35"	15"	17"	35"	44"	15"	35"	15"	17"	26"	35"	35"	44"	54"	35"	44"
Brine Well Size	13"	22"	35"	15"	17"	35"	44"	15"	35"	15"	17"	26"	35"	35"	44"/35"	35"	35"	44"
Brine Valve Size	13"	22"	35"	15"	17"	35"	44"	15"	35"	15"	17"	26"	35"	35"	44"/35"	35"	35"	44"
Resin Volume(STD)	4.5L	11L	14.5L	6.5L	8L	18L	21L	8L	21L	10L	12.5L	18L	25L	30L	35L	40L or 50L	31L	40L